

## Request under Freedom of Information Act 2000

## Request Ref: NGFOI 18/19: 499

Thank you for your request for information received at Northampton General Hospital NHS Trust (NGH) on 20/12/18.

I am pleased to be able to provide you with the following information:

Please provide the name and city of the unit that you work in

NHS Trust name : Northampton General Hospital

City: Northampton

Please underline the answers most relevant to the unit you work in

1. How many births are there per annum at the unit where you work?

Less than 1000 1001-2000 2001-3000 3001-4000 <u>4001-5000</u> 5001-6000 6001-7000 7001-8000 8001-9000 9001-10000 10000+

- 2. Does your Trust have a Clinical Lead for Childbirth Related Perineal Trauma?
  - <u>Yes</u> No Don't know

If Yes

Name of clinical lead or service lead:

It is not Trust practice to divulge the details for staff members below board level, however, we would be happy to forward on correspondence on your behalf.

## Job Title : Consultant Urogynaecologist

3. What care pathway does your Trust use for the repair of 1<sup>st</sup> and 2<sup>nd</sup> degree (not 3<sup>rd</sup>/4<sup>th</sup> degree OASI trauma) Childbirth Related Perineal Trauma (CRPT)?

<u>Local Trust guideline</u> No specific Trust guideline, but follow the RCOG green-top guidance None Don't know

- Does your Trust provide separate packs for delivery instruments and perineal repair instruments or is it all in one combined sterile pack?
  <u>Separate</u> Combined
- 5. Does your Trust guideline advise changing gloves prior to repairing 1<sup>st</sup> and 2<sup>nd</sup> degree CRPT?

Yes	
No	
Don't	know

6. Does your Trust guideline advise wearing a sterile gown when repairing 1<sup>st</sup> and 2<sup>nd</sup> degree CRPT?

<u>Yes</u> No Don't know

- 7. Does your Trust advise cleansing the perineum prior to repairing 1<sup>st</sup> and 2<sup>nd</sup> degree CRPT?
  - Yes <u>No</u> Don't know
- 8. Which cleansing solution does your Trust advise using prior to repairing 1<sup>st</sup> and 2<sup>nd</sup> degree CRPT?

<u>N/A – Guideline does not advise cleansing prior to repair</u> Sterile water Tap water Chlorhexidine solution Iodine No specific solution advised Other

9. Please provide the specific reference in your Trust guidelines to support the cleansing solution advised.

Specific reference :

None given